

SHADE
FABRICS

PRINTS SLINE

ONE | CLASSIC | STRIPES | BLOCK



protection®
Technical Fabrics

See all our products
www.protection.gr


PRINTS S-LINE

NEW GENERATION PRINTED TECHNICAL FABRICS

Protection Prints is a unique collection of digitally printed awning fabrics that really sets the latest sun protection trends.

The **external side** of the awning fabric is specially coated with an acrylic-polyurethane compound achieving excellent water-resistant properties as well as the highest protection from the UV rays that last throughout the years.

On the **inner side** of the fabric, Protection designs and digitally prints a great variety of patterns that really make a statement and enhance your home exterior. Our designers carefully choose colors which elevate one's sense of well being, helping create a fresh and temperate atmosphere in your outdoor living.




NEW GENERATION PRINTED TECHNICAL FABRICS

Double sided

EXTERNAL VIEW

INNER VIEW

LILIAN | 501



EXTERNAL
COLOR
OPTIONS
ECRU GREY



S-LINE

CHRYSANTHE | 508



ECRU

CAROLINE | 509



ECRU GREY S-BLOCK

ALKISTI | 511



ECRU

IRA | 504



ECRU GREEN

YOLANDA | 517



ECRU

LILIAN | 501



ECRU GREY S-BLOCK

KIVELI | 519



ECRU OCHRE

IFIGENIA | 503



ECRU

MARIANNE | 520



ECRU BLUE

PENELOPE | 502



ECRU S-BLOCK

ATHENA | 521



ECRU OCHRE

CARLA | 522



ECRU GREEN

S-LINE

CHRISTIANNNA | 599




ECRU

FLERIA | 507



ECRU GREEN

CALMA | 527



ECRU

AFRODITI | 563



ECRU OCHRE CRÉME S-BLOCK

ELIA | 573



ECRU CRÉME GREEN

MARGARITA | 591



ECRU GREY S-BLOCK

OLIVIA | 590



ECRU S-BLOCK

ELEONORA | 597



ECRU BEIGE

ORNELLA | 561



ECRU CRÉME OCHRE

EMILY | 589



ECRU BEIGE

SILVIA | 593



ECRU

MAYA | 510



ECRU GREEN

CLASSIC

AMAZONIOS | 505



ECRU OCHRE GREEN ORANGE

AMARYLLIS | 518



ECRU OCHRE GREEN BLUE

RECITAL | 506



ECRU BLUE

Technical Data S LINE

Composition	100% PES
Width	160cm
Weight	470gr/m²
Coating	Acrylic
Printing	Digital eco inks
Water proofing	100% waterproofed
Water repellency	100 - AATCC 22- DIN EN (ISO) 4920
Water penetration resistance (hydrostatic head)	>2000mm (DIN EN ISO 20811)
Light fastness to artificial light	7- 8 (DIN EN ISO 105 B 02)
Self cleaned	Lotus effect
UV TEST (STANDARD 801)	UPF 80
Fabric treatment	Teflon™ fabric protector / Bio-logic®
Warranty	7 YEARS
Quality certification	ISO 9001 : 2015

*Written Prices and processes are indicative of current production lots and are subject to a +/-4% tolerance

PRINTS S LINE ONE

SHADE FABRICS PRINTED WITH A UNIQUE PATTERN
OF MAXIMUM COLOR RESOLUTION

One and unique print on your awning could easily transform you outdoor living space to a painting. **PROTECTION** designed 4 large patterns (height 100-170 cm each) with shiny sharp colors of high resolution , the S LINE ONE series.

It is applied perfectly to all folding arm or terrace awnings making it a unique design statement that will further enhance your home exterior.



NEW GENERATION PRINTED
TECHNICAL FABRICS

Double sided

EXTERNAL VIEW

INNER VIEW

IOLI|607

EXTERNAL
COLOR
OPTIONS

ECRU

protection
Technical Fabrics



OSCAR
608



IOLI
607



PARROTS
602



SPA
601

Technical Data S LINE

Composition	100% PES
Width	160cm
Weight	470gr/m²
Coating	Acrylic
Printing	Digital eco inks
Water proofing	100% waterproofed
Water repellency	100 - AATCC 22- DIN EN (ISO) 4920
Water penetration resistance (hydrostatic head)	>2000mm (DIN EN ISO 20811)
Light fastness to artificial light	7- 8 (DIN EN ISO 105 B 02)
Self cleaned	Lotus effect
UV TEST (STANDARD 801)	UPF 80
Fabric treatment	Teflon™ fabric protector / Bio-logic®
Warranty	7 YEARS
Quality certification	ISO 9001: 2015

*Written Prices and processes are indicative of current production lots and are subject to a +/-4% tolerance

PRINTS S LINE STRIPES

SUN PROTECTION AND AESTHETICS UNDER
THE STRIPED PROTECTION SHADE FABRICS

The company has 5 options in striped polyester 100% shading fabrics, with external view in ecru color, to decorate a modern or classic outdoor space. *(The stripes printing is designed to be placed in the internal part of the awning and it's not recommended for an opposite way of use).*



NEW GENERATION PRINTED
TECHNICAL FABRICS

Double sided

EXTERNAL VIEW

INNER VIEW

KNOSSOS| 310

EXTERNAL
COLOR
OPTIONS

ECRU



Knossos 310

ΔΙΑΣΤΑΣΗ ΠΙΓΑΣ 11cm
COLORS ECRU



Chicago 304

ΔΙΑΣΤΑΣΗ ΠΙΓΑΣ 11cm
COLORS ECRU



Canada 305

ΔΙΑΣΤΑΣΗ ΠΙΓΑΣ 11cm
COLORS ECRU



Dubai 306

ΔΙΑΣΤΑΣΗ ΠΙΓΑΣ 11cm
COLORS ECRU



Cuba 303

ΔΙΑΣΤΑΣΗ ΠΙΓΑΣ 11cm
COLORS ECRU



Technical Data S LINE

Composition	100% PES
Width	160cm
Weight	470gr/m²
Coating	Acrylic
Printing	Digital eco inks
Water proofing	100% waterproofed
Water repellency	100 - AATCC 22- DIN EN (ISO) 4920
Water penetration resistance (hydrostatic head)	>2000mm (DIN EN ISO 20811)
Light fastness to artificial light	7- 8 (DIN EN ISO 105 B 02)
Self cleaned	Lotus effect
UV TEST (STANDARD 801)	UPF 80
Fabric treatment	Teflon™ fabric protector / Bio-logic®
Warranty	7 YEARS
Quality certification	ISO 9001 : 2015

*Written Prices and processes are indicative of current production lots and are subject to a +/-4% tolerance

BLOCKOUT

SBLOCK/
PROBLOCK TEXTILE
INNOVATION

INNOVATION IN HIGH QUALITY BLOCKOUT
PRINTED FABRICS - PLAIN COLORS

Innovation is a major concern at **Protection**. The R&D department constantly strives to develop new products that will set new trends in sun protection combining elegance and effectiveness. **Protection** has created an innovative textile of high opaqueness that could easily be printed and coated. The result is a high performance awning fabric with beautiful prints that significantly contributes to buildings' high efficiency energy saving.



NEW GENERATION PRINTED
TECHNICAL FABRICS

Double sided

EXTERNAL VIEW

INNER VIEW

MARGARITA | 591

EXTERNAL
COLOR
OPTIONS

ECRU

protection
Technical Fabrics



CAROLINE | 509



LILIAN | 501



PENELOPE | 502



AFRODITI | 563



MARGARITA | 591



OLIVIA | 590

Technical Data S LINE*

Composition	100% PES
Width	160cm
Weight	400-500gr/m²
Coating	Coating special acrylic based
Printing	Digital eco inks
Water proofing	100% waterproofed
Water repellency	100 - AATCC 22- DIN EN (ISO) 4920
Water penetration resistance (hydrostatic head)	>3000mm (DIN EN ISO 20811)
Light fastness to artificial light	7- 8 (DIN EN ISO 105 B 02)
Self cleaned	Lotus effect
UV TEST (STANDARD 801)	UPF 80
Fabric treatment	Teflon™ fabric protector / Bio-logic®
Warranty	7-10 YEARS
Quality certification	ISO 9001 : 2015
Light transmission	<< 1 %
Thermal transmission	<< 1 %

*Written Prices and pro-
cesses are indicative of
current production lots
and are subject to
a +/-4% tolerance



protection[®]
Technical Fabrics



100%
ΕΛΛΗΝΙΚΟ
ΠΡΟΪΟΝ

www.protection.gr